





**Michelangelo<sup>®</sup>**



**Panelweave<sup>™</sup>**



**Flameguard<sup>™</sup>**



**Shush<sup>®</sup>**

**IDENTIFICATION**

<b>Product Names:</b>	PANAFILL	FLAMEGUARD	FLAMETACK
	MICHELANGELO	CSR CANE-ITE STD	CSR CANE-ITE
	IVORY	PANELWEAVE	SHUSH
<b>UN Number:</b>	NOT APPLICABLE		
<b>Dangerous Goods Class:</b>	NOT APPLICABLE		
<b>Hazchem Code:</b>	NOT APPLICABLE		
<b>Poisons Schedule:</b>	NOT APPLICABLE		
<b>Uses:</b>	GENERAL PURPOSE INTERIOR CEILING AND LINING PANELS		

**PHYSICAL DESCRIPTION/PROPERTIES**

<b>Appearance:</b>	VERY LIGHT BROWN COLOURED PANEL WITH A HOMOGENOUS STRUCTURE, WHICH MAY HAVE A WHITE COATING ON ONE FACE
<b>Boiling/Melting Point (°C):</b>	NOT APPLICABLE
<b>Vapour Pressure (mm of Hg at 25°C):</b>	NOT APPLICABLE
<b>Specific Gravity:</b>	0.20 - 0.35
<b>Flash Point:</b>	NOT APPLICABLE
<b>Flammability Limits (%):</b>	NOT APPLICABLE
<b>Auto ignition:</b>	DOES NOT AUTO IGNITE
<b>Solubility in Water (g/l):</b>	NEGLIGIBLE

INGREDIENTS	CAS NUMBER	PROPORTION
Mixed softwoods (mainly pine species):	[ NONE ]	76 – 89%
Starch:	[ 9005.25.8 ]	2 – 5%
Paraffin wax:	[ 8002.74.2 ]	< 1%
Aluminum Sulphate	[ N/A ]	< 0.1%
Moisture:	[ NONE ]	8 - 13%
Water based coating:	[ N/A ]	0 - 8%

**HEALTH HAZARD INFORMATION**

<b>Health Effects:</b>	<ul style="list-style-type: none"> <li>• WHEN BOARDS ARE CUT, DRILLED OR SANDED, DUST WILL BE GIVEN OFF.</li> <li>• UNLIKELY TO OCCUR BUT SWALLOWING THE DUST MAY RESULT IN ABDOMINAL DISCOMFORT.</li> <li>• THE DUST MAY BE IRRITATING TO THE EYE CAUSING DISCOMFORT AND REDNESS.</li> <li>• WOOD DUST MAY EVOKE ALLERGIC CONTACT DERMATITIS IN SENSITISED INDIVIDUALS.</li> </ul>
<b>Acute: Swallowed:</b>	
<b>Eye:</b>	
<b>Skin:</b>	



**FLAMMABILITY**

- BOARDS ARE FLAMMABLE BUT DIFFICULT TO IGNITE. PRODUCT MAY IGNITE IN EXCESS OF 185°C.
- FINE AIRBORNE DUST CAN IGNITE SO AVOID A BUILD-UP OF WOOD DUST, SHAVINGS OR OFF-CUTS AND KEEP ALL STORAGE AND WORK AREAS WELL VENTILATED.
- AVOID SOURCES OF RADIANT HEAT AND FLAME, AND AVOID SPARKS AND SOURCES OF IGNITION IN ALL ELECTRICAL EQUIPMENT, INCLUDING DUST EXTRACTION EQUIPMENT.
- PEOPLE MUST NOT SMOKE IN STORAGE OR WORK AREAS.

**SAFE HANDLING INFORMATION****STORAGE AND TRANSPORT**

- USE WELL VENTILATED, DRY STORAGE AREAS AWAY FROM SOURCES OF HEAT, FLAME OR SPARKS.

**SPILLS AND DISPOSAL**

- OFF-CUTS AND GENERAL WASTE MATERIAL SHOULD BE PLACED IN CONTAINERS AND DISPOSED OF AT APPROVED LANDFILL SITES, OR BURNT IN AN APPROVED FURNACE OR INCINERATOR, IN ACCORDANCE WITH DISPOSAL AUTHORITY GUIDELINES.

**FIRE/EXPLOSION**

- BURNING OR SMOULDERING BOARDS OR WOOD DUST CAN GENERATE CARBON DIOXIDE, CARBON MONOXIDE, AND OXIDES OF NITROGEN, HYDROGEN CYANIDE AND OTHER PYROLYSIS PRODUCTS, WHICH ARE IRRITATING TO THE RESPIRATORY TRACT. DRY WOOD DUST IN HIGH CONCENTRATIONS CAN BE EXPLOSIVE. USE WATER, OR FOAM EXTINGUISHERS.

**CONTACT POINT CUSTOMER SERVICES****NEW ZEALAND**

Ph: 0800 303 606

Fax: 0800 303 707

**INTERNATIONAL**

Ph: +64 9 571 4444

Fax: +64 9 571 4494

WHILST THE INFORMATION CONTAINED IN THIS DOCUMENT IS BASED ON DATA WHICH, TO THE BEST OF OUR KNOWLEDGE, WAS ACCURATE AND RELIABLE AT THE TIME OF PREPARATION, NO RESPONSIBILITY CAN BE ACCEPTED BY US FOR ERRORS AND OMISSIONS. THE PROVISION OF THIS INFORMATION SHOULD NOT BE CONSTRUED AS A RECOMMENDATION TO USE ANY OF OUR PRODUCTS IN VIOLATION OF ANY PATENT RIGHTS OR IN BREACH OF ANY STATUTE OR REGULATION. USERS ARE ADVISED TO MAKE THEIR OWN DETERMINATION AS TO THE SUITABILITY OF THIS INFORMATION IN RELATION TO THEIR PARTICULAR PURPOSE AND SPECIFIC CIRCUMSTANCES. SINCE THE INFORMATION CONTAINED IN THIS DOCUMENT MAY BE APPLIED UNDER CONDITIONS BEYOND OUR CONTROL, NO RESPONSIBILITY CAN BE ACCEPTED BY US FOR ANY LOSS OR DAMAGE CAUSED BY ANY PERSON ACTING OR REFRAINING FROM ACTION AS A RESULT OF THIS INFORMATION.

**THE laminex GROUP**

P O Box 12-270, Auckland 1642, New Zealand

[WWW.THELAMINEXGROUP.CO.NZ](http://WWW.THELAMINEXGROUP.CO.NZ)